

=> IFW: **Scan as Doc Code: SRNT <=**
Doc Date:

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10524717

- 1.) See attached printout of inventors listed in
PALM**

- 2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

PALM INTRANET**Inventor Information for 10/524717**

Inventor Name	City	State/Country
MALCHOW, GREGORY L	OSHKOSH	WISCONSIN
DATTA, PAUL J	APPLETON	WISCONSIN
BELAU, TOM R	NEENAH	WISCONSIN
CONDRON, JOHN F	NEENAH	WISCONSIN
PUTZER, MELISSA C	OSHKOSH	WISCONSIN

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign Data](#)[Invento](#)

Search Another: Application#

or Patent#

PCT /

/

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

US 20060149209 A1	20060706	Absorbent article having improved bonding pattern	604/389		Malchow; GregoryL et al.
US 20060089616 A1	20060427	Absorbent article having dual pattern bonding	604/389	604/385.11	Belau; TomR et al.
US 20060069373 A1	20060330	Ultrasonic attachment of an elastic strand	604/385.3	604/385.31	Schlitz; Daniel R. et al.
US 20060004343 A1	20060105	Easy-to-unfold folded absorbent garment	604/385.201	604/385.01	Datta; Paul Joseph et al.
US 20060004337 A1	20060105	Diaper structure with alignment indicator	604/385.01	604/385.02	Datta; Paul Joseph
US 20050256494 A1	20051117	Easy open diaper	604/385.201	604/385.02; 604/385.13	Datta, Paul J.
US 20050256493 A1	20051117	Absorbent garment characteristics for droop elimination	604/385.29	604/358	Datta, Paul Joseph et al.
US 20050191460 A1	20050901	Pattern unbonded nonwoven web and process for making same	428/103	428/100; 428/110; 442/327; 604/358	Belau, Tom R.
US 20050148974 A1	20050707	Disposable absorbent garment having a folded panel for improved fit and exudate containment	604/385.01	604/385.03; 604/387	Datta, Paul J. et al.
US 20050055005 A1	20050310	Disposable absorbent underpants	604/385.27		Cazzato, Tim Richard et al.
US 20050055001 A1	20050310	Disposable absorbent underpants	604/385.01		Cazzato, Tim Richard et al.
US 20050015066 A1	20050120	Absorbent article with high quality ink jet image produced at line speed	604/358	428/195.1	Anderson, Kimberly D. et al.
US 20040225271 A1	20041111	Disposable garment	604/385.11		Datta, Paul Joseph et al.
US 20040122400 A1	20040624	Absorbent article with an elastic waistband having a	604/385.3		Hancock- Cooke, Catherine M.

		preferred ratio of elastic to non-elastic materials			et al.
US 20030233081 A1	20031218	Components of articles including contrasting printed blocks	604/385.01	604/367	Belau, Tom Russell et al.
US 20030229325 A1	20031211	Components of articles including continuous detector materials	604/367		Belau, Tom Russell et al.
US 20030217425 A1	20031127	Wipe with finger pockets	15/227	156/290; 156/308.4; 156/73.1	Datta, Paul Joseph et al.
US 20030119404 A1	20030626	Pattern unbonded nonwoven web and process for making same	442/361	428/100; 428/103; 442/381; 442/394	Belau, Tom R. et al.
US 20030111168 A1	20030619	Method for making a refastenable undergarment	156/250	156/256	Olson, Christopher Peter et al.
US 20030111157 A1	20030619	Control of processing force and process gap in rigid rotary ultrasonic systems	156/73.1	156/580.1	Ehlert, Thomas David et al.
US 20030069554 A1	20030410	Tear-resistant adhesive/combination bond pattern	604/365	604/385.01	Malchow, Gregory Lynn et al.
US 20030065295 A1	20030403	Tear-resistant adhesive/combination bond pattern	604/365	604/366; 604/385.31; 604/394; 604/396	Malchow, Gregory Lynn et al.
US 20020183712 A1	20021205	Convertible diaper/pant with ease of application	604/385.22	604/385.29	Datta, Paul Joseph et al.
US 20020165518 A1	20021107	Convertible prefastened diaper/pant with reduced leakage when applied as a pant	604/385.29		Datta, Paul Joseph et al.
US 20020165517 A1	20021107	Prefastened diaper/pant for infants with improved fit range	604/385.22	604/385.28; 604/391	Datta, Paul Joseph et al.
US	20021107	Stretchable absorbent	604/385.16	604/385.22;	Datta, Paul

20020165516 A1		article having zones of differential stretch		604/385.29	Joseph et al.
US 20020165514 A1	20021107	Product seal of dissimilar materials	604/385.11	604/365; 604/366	Datta, Paul J. et al.
US 20020143316 A1	20021003	Absorbent insert for use with an outer absorbent garment	604/385.101	604/364; 604/378; 604/385.03; 604/385.14; 604/387	Sherrod, Earle Harry et al.
US 20020138064 A1	20020926	Pre-fastened absorbent article having simplified fastening features	604/391	604/387	Datta, Paul Joseph et al.
US 20020048652 A1	20020425	Tear-resistant adhesive/combination bond pattern	428/194		Malchow, Gregory Lynn et al.
US 20020042600 A1	20020411	Full wrapping disposable refastenable and adjustable pant	604/385.13	604/385.01; 604/385.3; 604/392	Datta, Paul Joseph et al.
US 6921570 B2	20050726	Pattern unbonded nonwoven web and process for making same	428/103	428/100; 428/359; 442/361; 442/381; 442/394; 604/385.01	Belau; Tom R. et al.
US 6840928 B2	20050111	Stretchable absorbent article having zones of differential stretch	604/385.22		Datta; Paul Joseph et al.
US 6837961 B2	20050104	Method of making tear-resistant adhesive/combination bond pattern	156/290	156/73.1; 428/198; 428/201; 604/385.01; 604/396	Malchow; Gregory Lynn et al.
US 6713159 B1	20040330	Tear-resistant bond pattern	428/195.1	428/198; 442/394; 442/398	Blenke; Timothy James et al.
US 6652501 B2	20031125	Tear-resistant adhesive/combination bond pattern	604/385.01	156/290; 428/198; 428/201; 604/396	Malchow; Gregory Lynn et al.
US 6646179 B1	20031111	Absorbent composite	604/368	604/358	Melius; Mark Kevin et al.
US 6627564	20030930	Composite elastic in	442/327	264/284;	Morman;

B1		one direction and extensible in another direction		428/103; 428/198; 442/394	Michael Tod et al.
US 6620490 B1	20030916	Tear-resistant bond pattern	428/196	428/198; 442/394; 604/372	Malchow; Gregory Lynn et al.
US 6620270 B2	20030916	Control of processing force and process gap in rigid rotary ultrasonic systems	156/64	156/358; 156/555; 156/580.2; 156/582; 156/73.1	Ehlert; Thomas David et al.
US 6569139 B1	20030527	Disposable absorbent underpants for containing body fluid	604/385.27	604/385.24	Datta; Paul Joseph et al.
US 6552245 B1	20030422	Absorbent article having an extensible outer cover and an extensible bodyside liner	604/367	604/370; 604/385.22	Roessler; Thomas Harold et al.
US 6547903 B1	20030415	Rotary ultrasonic bonder or processor capable of high speed intermittent processing	156/64	156/358; 156/555; 156/580.2; 156/582; 156/73.1	McNichols; Patrick Sean et al.
US 6506186 B1	20030114	Absorbent article having enhanced leg curvature in use	604/385.22	604/378; 604/385.25	Roessler; Thomas Harold et al.
US 6482194 B1	20021119	Pocket design for absorbent article	604/385.19	604/385.24; 604/385.27	Putzer; Melissa C.
US 6468255 B1	20021022	Front/back separation barrier	604/385.01	2/267; 604/358	Sauer; Barbara O. et al.
US D456508 S	20020430	Prefastened absorbent article	D24/126	D24/124	Schroeder; Kristi Jo et al.
US 6360392 B1	20020326	Liquified gas dry-cleaning machine with improved agitation system	8/159	68/18C; 68/183; 68/207	Malchow; Gregory L.
US 6334340 B1	20020101	Liquified gas dry-cleaning machine with convertible installation configuration	68/18R	68/13R; 68/18C	Kegler; Andrew F. et al.
US 6330735 B1	20011218	Apparatus and process for forming a	19/296	19/301; 403/294;	Hahn; John Timothy et

		laid fibrous web with enhanced basis weight capability		425/80.1	al.
US 6315765 B1	20011113	Elasticized absorbent pad	604/385.24	604/358; 604/385.01; 604/385.101; 604/385.27; 604/385.28	Datta; Paul Joseph et al.
US D448847 S	20011002	Bond pattern for an absorbent article	D24/126		Blenke; Timothy James et al.
US D446302 S	20010807	Bond pattern for an absorbent article	D24/126		Blenke; Timothy James et al.
US D445898 S	20010731	Bond pattern for an absorbent article	D24/126		Malchow; Gregory Lynn et al.
US 6237374 B1	20010529	High pressure cleaning vessel with a space saving door opening/closing apparatus	68/139	68/196; 68/210	Malchow; Gregory L. et al.
US 6237373 B1	20010529	Liquified gas dry-cleaning vessel with self-contained front access lint panel	68/18F		Harris; Stephen L. et al.
US 6233980 B1	20010522	Dry cleaning vessel door opening apparatus with self-aligning and reduced stress locking lugs	68/139	68/196; 68/210	Kegler; Andrew F. et al.
US 6159881 A	20001212	Thermoformable barrier nonwoven laminate	442/409	442/353; 442/411	Datta; Paul Joseph et al.
US 6145199 A	20001114	Method of manufacturing a bearing mounting structure with reduced dimensional requirements	29/898.07	29/557; 384/535; 384/539	Malchow; Gregory L. et al.
US 6102892 A	20000815	Diaper with pleats for containment of liquid and solid waste	604/385.01	604/385.16; 604/385.23; 604/385.25; 604/385.28; 604/385.29	Putzer; Melissa C. et al.
US 6085935	20000711	Pressure vessel door	220/813	220/291;	Malchow;

A		operating apparatus		220/816	Gregory L. et al.
US 6070440 A	20000606	High pressure cleaning vessel with a space saving door opening/closing apparatus	68/139	68/196; 68/210	Malchow; Gregory L. et al.
US 6022338 A	20000208	Absorbent article having a multilayered containment barrier	604/385.01	604/378	Putzer; Melissa Christine
US 6012307 A	20000111	Dry-cleaning machine with controlled agitation	68/183	134/102.2; 68/207	Malchow; Gregory L.
US 5946945 A	19990907	High pressure liquid/gas storage frame for a pressurized liquid cleaning apparatus	68/18R	68/18C; 68/183	Kegler; Andrew et al.
US 5931585 A	19990803	Bearing mounting structure with reduced dimensional requirements	384/535	384/539	Malchow; Gregory L. et al.
US 5843059 A	19981201	Absorbent composite and disposable absorbent garment comprising same	604/368	604/374	Niemeyer; Michael John et al.
US 5722968 A	19980303	Absorbent article fastening system	604/391	24/450; 604/392; 604/398	Datta; Paul Joseph et al.
US 5716470 A	19980210	Loop material for improved attachment to disposable garments	156/66	427/154; 427/336; 604/391	Belau; Tom Russell et al.
US 5695376 A	19971209	Thermoformable barrier nonwoven laminate	442/334	442/352; 442/353; 442/361; 442/398; 442/409	Datta; Paul Joseph et al.
US 5665186 A	19970909	Method of making a flexible absorbent article with formed moisture barrier	156/66	156/196; 156/210; 156/226; 156/285	Datta; Paul Joseph et al.
US 5607415 A	19970304	Flexible absorbent article	604/385.21	604/370; 604/380; 604/386	Datta; Paul J. et al.
US 5601542	19970211	Absorbent composite	604/368	604/367;	Melius;

A				604/372; 604/378	Mark K. et al.
US 5554239 A	19960910	Method of manufacturing a fastening system for an absorbent article	156/66	156/265; 156/302; 156/519; 156/547; 156/552; 156/578; 156/88; 24/442; 24/444; 428/99; 604/391	Datta; Paul J. et al.
US 5476702 A	19951219	Fastening system for absorbent article and method of manufacture	428/99	428/157; 428/172; 604/365; 604/391	Datta; Paul J. et al.
US 5361439 A	19941108	Method and apparatus for spinning and draining automatic clothes washer	8/158	68/12.12; 68/12.14; 68/12.19; 68/23.4; 8/159	Malchow; Gregory L.
US 5257901 A	19931102	Quick-priming centrifugal pump	415/182.1	415/206; 415/208.1; 415/56.2	Malchow; Gregory L.
US 5117658 A	19920602	Washing machine having improved out- of-balance performance	68/23.3	210/244; 248/568	Bisplinghoff; Ross L. et al.
US 5101645 A	19920407	Suspension system for automatic washing machine	68/23.3	210/364; 248/638	Malchow; Gregory L.
US 4892534 A	19900109	Nonwoven web useful as a bodyside liner for an absorption article	604/370	428/397; 428/913; 442/336; 442/382	Datta; Paul J. et al.
US 4801494 A	19890131	Nonwoven pad cover with fluid masking properties	442/352	442/394; 442/417; 604/385.01	Datta; Paul J. et al.
US 4700492 A	19871020	Air actuated automatic lint screen cleaning system for dryer	34/403	34/82; 34/85; 55/294	Werner; Kurt et al.
US 4553404 A	19851119	Room air conditioner with high capacity fresh air circulation	62/262	415/148; 62/427	Malchow; Gregory L. et al.

		means			
US 4503584 A	19850312	Enclosure structure with double-acting hinge mechanism having interlocking pivotal latch	16/232	16/366; 16/380; 16/DIG.23; 292/336	Malchow; Gregory L.
US 3903738 A	19750909	Rotating machinery torque sensing arrangement	73/862.29	73/117.3	Malchow; Gregory L.